

M1 to M3 coupling				
		M3/M1 [urad/cts_force]	M1/M1 [um/cts_force]	M3/M1 (rad/m)
SRM	Pitch	-5.35E-03	2.88E-03	-1.86
	Yaw	-3.15E-03	2.88E-03	-1.09
SR2	Pitch	-3.61E-03	2.29E-03	-1.58
	Yaw	5.34E-03	2.29E-03	2.33
MC2	Pitch	-2.74E-03	2.38E-03	-1.15
	Yaw	funky data	2.38E-03	#VALUE!

Data used

8/11/2014 1091848430

8/12/2014 1091866490

8/11/2014 1091848686

M2 to M3 coupling				
		M3/M2 [urad/cts_force]	M2/M2 [um/cts_force]	M3/M2 [rad/m]
SRM	Pitch	-5.32E-05	2.05E-05	-2.60
	Yaw	-9.54E-06	2.05E-05	-0.47
SR2	Pitch	-8.66E-06	1.83E-06	-4.74
	Yaw	funky data	1.83E-06	#VALUE!
MC2	Pitch	-3.15E-05	2.27E-05	-1.39
	Yaw	-1.54E-05	2.27E-05	-0.68

Data used

8/12/2014 1091866485

8/07/2014 1091430023

8/05/2014 1091274309

M3 to M3 coupling				
		M3-M3 [urad/cts_force]	M3/M3 [um/cts_force]	M3/M3 (rad/m)
SRM	Pitch	-2.11E-06	9.57E-07	-2.20
	Yaw	-9.51E-07	9.57E-07	-0.99
SR2	Pitch	-2.63E-06	1.43E-06	-1.85
	Yaw	6.08E-07	1.43E-06	0.43
MC2	Pitch	-3.98E-06	1.04E-06	-3.84
	Yaw	-1.26E-06	1.04E-06	-1.22

Data used

8/12/2014 1091875512

8/05/2014 1091269174

8/11/2014 1091283182

-2.35  
-0.24

average pitch  
average yaw