

Force Coefficient Trends

| GENERATED FOR LHO_EndX

Report Generated on December 11, 2019

Contents

1	About	1
2	Gold Standard (ρ_{GS})	2
3	WS to GS Responsivity (α_{WG})	3
4	TxPD to WS Responsivity (α_{TW})	4
5	RxPD to WS Responsivity (α_{RW})	5
6	Optical Efficiency (e)	6
7	Beta (β)	7
8	Input Optical efficiency factor ($\mathcal{E}_T$)	8
9	Output Optical efficiency factor ($\mathcal{E}_R$)	9
10	TxPD to WS prime ($\alpha_{TW'}$)	10
11	RxPD to WS prime ($\alpha_{RW'}$)	11
12	TxPD Force Coefficient (Γ_{TX})	12
13	RxPD Force Coefficient (Γ_{RX})	13

1 About

The force coefficients are calculated according to

Force Coefficient = $[1/(GS*WSGS*TX(RX)WS)]*[2*\cos(\text{theta})/c]$


Angle of Incidence (theta) = 8.75 deg

Speed of light (c) = 299792458 m/s

2 Gold Standard (ρ_{GS})

List of Measurements

Date	GS $\pm$ SE_GS	Normalized
D20190122	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)
D20190312	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)
D20190423	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)
D20190611	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)
D20190625	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)
D20190910	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)
D20191210	-8.098500 $\pm$ -0.025915	(1 $\pm$ 0.003200)




Summary of Gold Standard	
Mean value:	-8.098500
Standard deviation:	0.000000
Standard error:	0.000000
Relative Standard error:	0.000000

3 WS to GS Responsivity (α_{WG})

List of Measurements

Date	WSGS $\pm$ SE_WSGS	Normalized
D20190122	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)
D20190312	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)
D20190423	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)
D20190611	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)
D20190625	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)
D20190910	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)
D20191210	1.114181 $\pm$ 0.001526	(1 $\pm$ 0.001370)




Summary of WS to GS Responsivity

Mean value:	1.114181
Standard deviation:	0.000000
Standard error:	0.000000
Relative Standard error:	0.000000

4 TxPD to WS Responsivity (α_{TW})

List of Measurements

Date	TXWS $\pm$ SE_TXWS	Normalized
D20190122	-0.558870 $\pm$ 0.000346	(1 $\pm$ -0.000619)
D20190312	-0.558519 $\pm$ 0.001085	(1 $\pm$ -0.001942)
D20190423	-0.559161 $\pm$ 0.000332	(1 $\pm$ -0.000594)
D20190611	-0.559233 $\pm$ 0.000435	(1 $\pm$ -0.000778)
D20190625	-0.560432 $\pm$ 0.000336	(1 $\pm$ -0.000600)
D20190910	-0.559565 $\pm$ 0.000290	(1 $\pm$ -0.000519)
D20191210	-0.558977 $\pm$ 0.000344	(1 $\pm$ -0.000615)




Summary of TxPD to GS Responsivity

Mean value:	-0.559251
Standard deviation:	0.000613
Standard error:	0.000250
Relative Standard error:	0.000446

5 RxPD to WS Responsivity (α_{RW})

List of Measurements

Date	RXWS $\pm$ SE_RXWS	Normalized
D20190122	-0.720173 $\pm$ 0.000164	(1 $\pm$ -0.000227)
D20190312	-0.720198 $\pm$ 0.000174	(1 $\pm$ -0.000242)
D20190423	-0.721624 $\pm$ 0.000153	(1 $\pm$ -0.000212)
D20190611	-0.720124 $\pm$ 0.000167	(1 $\pm$ -0.000232)
D20190625	-0.721900 $\pm$ 0.000161	(1 $\pm$ -0.000222)
D20190910	-0.720076 $\pm$ 0.000143	(1 $\pm$ -0.000199)
D20191210	-0.721099 $\pm$ 0.000138	(1 $\pm$ -0.000192)




Summary of RxPD to GS Responsivity

Mean value:	-0.720742
Standard deviation:	0.000784
Standard error:	0.000319
Relative Standard error:	0.000443

6 Optical Efficiency (e)

List of Measurements

Date	$e \pm SE_e$	Normalized
D20190122	0.988025 ± 0.000271	(1 ± 0.000275)
D20190312	0.988711 ± 0.000639	(1 ± 0.000646)
D20190423	0.985951 ± 0.000254	(1 ± 0.000258)
D20190611	0.987762 ± 0.000315	(1 ± 0.000319)
D20190625	0.987084 ± 0.000254	(1 ± 0.000257)
D20190910	0.986994 ± 0.000234	(1 ± 0.000237)
D20191210	0.987598 ± 0.000245	(1 ± 0.000248)




Summary of Optical Efficiency

Mean value:	0.987446
Standard deviation:	0.000878
Standard error:	0.000357
Relative Standard error:	0.000362

7 Beta (β)

List of Measurements

Date	beta $\pm$ SE_beta	Normalized
D20190122	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)
D20190312	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)
D20190423	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)
D20190611	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)
D20190625	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)
D20190910	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)
D20191210	0.998895 $\pm$ 0.000000	(1 $\pm$ 0.000000)




Summary of Beta	Mean value:	0.998895
	Standard deviation:	0.000000
	Standard error:	0.000000
	Relative Standard error:	0.000000

8 Input Optical efficiency factor ($\mathcal{E}_T$)

List of Measurements

Date	E_T $\pm$ SE_E_T	Normalized
D20190122	1.006599 $\pm$ 0.000276	(1 $\pm$ 0.000275)
D20190312	1.006249 $\pm$ 0.000650	(1 $\pm$ 0.000646)
D20190423	1.007657 $\pm$ 0.000260	(1 $\pm$ 0.000258)
D20190611	1.006732 $\pm$ 0.000321	(1 $\pm$ 0.000319)
D20190625	1.007078 $\pm$ 0.000259	(1 $\pm$ 0.000257)
D20190910	1.007124 $\pm$ 0.000238	(1 $\pm$ 0.000237)
D20191210	1.006816 $\pm$ 0.000250	(1 $\pm$ 0.000248)




Summary of Input Side Optical Efficiency factor			
	Mean value:	1.006893	
	Standard deviation:	0.000448	
	Standard error:	0.000182	
	Relative Standard error:	0.000181	

9 Output Optical efficiency factor ($\mathcal{E}_R$)

List of Measurements

Date	E_R $\pm$ SE_E_R	Normalized
D20190122	0.994544 $\pm$ 0.000273	(1 $\pm$ 0.000275)
D20190312	0.994889 $\pm$ 0.000643	(1 $\pm$ 0.000646)
D20190423	0.993500 $\pm$ 0.000256	(1 $\pm$ 0.000258)
D20190611	0.994412 $\pm$ 0.000317	(1 $\pm$ 0.000319)
D20190625	0.994071 $\pm$ 0.000256	(1 $\pm$ 0.000257)
D20190910	0.994025 $\pm$ 0.000235	(1 $\pm$ 0.000237)
D20191210	0.994329 $\pm$ 0.000247	(1 $\pm$ 0.000248)




Summary of Output Side Optical Efficiency factor		
Mean value:	0.994253	
Standard deviation:	0.000442	
Standard error:	0.000180	
Relative Standard error:	0.000181	

10 TxPD to WS prime ($\alpha_{TW'}$)

List of Measurements

Date	alphaTXWS_prime $\pm$ SE_alphaTXWS_prime	
Normalized		
D20190122	-0.562558 $\pm$ -0.000247	(1 $\pm$ 0.000439)
D20190312	-0.562010 $\pm$ -0.000289	(1 $\pm$ 0.000514)
D20190423	-0.563442 $\pm$ -0.000479	(1 $\pm$ 0.000851)
D20190611	-0.562998 $\pm$ -0.000268	(1 $\pm$ 0.000476)
D20190625	-0.564399 $\pm$ -0.000329	(1 $\pm$ 0.000584)
D20190910	-0.563551 $\pm$ -0.000338	(1 $\pm$ 0.000600)
D20191210	-0.562787 $\pm$ -0.000275	(1 $\pm$ 0.000489)




Summary of TxPD to WS prime

Mean value:	-0.563106
Standard deviation:	0.000774
Standard error:	0.000315
Relative Standard error:	0.000560

11 RxPD to WS prime (α_{RW}')

List of Measurements

Date	alphaRXWS_prime $\pm$ SE_alphaRXWS_prime		
Normalized			
D20190122	-0.716244 $\pm$ -0.000914	(1 $\pm$ 0.001276)	
D20190312	-0.716517 $\pm$ -0.000941	(1 $\pm$ 0.001314)	
D20190423	-0.716933 $\pm$ -0.000985	(1 $\pm$ 0.001374)	
D20190611	-0.716100 $\pm$ -0.000956	(1 $\pm$ 0.001335)	
D20190625	-0.717619 $\pm$ -0.000979	(1 $\pm$ 0.001364)	
D20190910	-0.715774 $\pm$ -0.000881	(1 $\pm$ 0.001231)	
D20191210	-0.717010 $\pm$ -0.000805	(1 $\pm$ 0.001122)	




Summary of RxPD to WS prime

Mean value:	-0.716600
Standard deviation:	0.000630
Standard error:	0.000257
Relative Standard error:	0.000358

12 TxPD Force Coefficient (Γ_{TX})

List of Measurements

Date	FC_TxPD $\pm$ SE_FC_TxPD	Normalized
D20190122	7.935345e-13 $\pm$ 2.784503e-15	(1 $\pm$ 3.508987e-03)
D20190312	7.943089e-13 $\pm$ 2.795314e-15	(1 $\pm$ 3.519178e-03)
D20190423	7.922894e-13 $\pm$ 2.839416e-15	(1 $\pm$ 3.583812e-03)
D20190611	7.929139e-13 $\pm$ 2.786075e-15	(1 $\pm$ 3.513716e-03)
D20190625	7.909468e-13 $\pm$ 2.792022e-15	(1 $\pm$ 3.529975e-03)
D20190910	7.921367e-13 $\pm$ 2.798435e-15	(1 $\pm$ 3.532768e-03)
D20191210	7.932114e-13 $\pm$ 2.788538e-15	(1 $\pm$ 3.515505e-03)




Summary of TxPD Force Coefficient

Mean value:	7.927631e-13
Standard deviation:	1.089662e-15
Standard error:	4.434481e-16
Relative Standard error:	5.593702e-04

13 RxPD Force Coefficient (Γ_{RX})

List of Measurements

Date	FC_RXPD $\pm$ SE_FC_RXPD	Normalized
D20190122	6.232642e-13 $\pm$ 2.310887e-15	(1 $\pm$ 3.707716e-03)
D20190312	6.230266e-13 $\pm$ 2.318319e-15	(1 $\pm$ 3.721060e-03)
D20190423	6.226650e-13 $\pm$ 2.330520e-15	(1 $\pm$ 3.742815e-03)
D20190611	6.233895e-13 $\pm$ 2.324452e-15	(1 $\pm$ 3.728730e-03)
D20190625	6.220698e-13 $\pm$ 2.325999e-15	(1 $\pm$ 3.739129e-03)
D20190910	6.236738e-13 $\pm$ 2.303034e-15	(1 $\pm$ 3.692689e-03)
D20191210	6.225986e-13 $\pm$ 2.277312e-15	(1 $\pm$ 3.657753e-03)



Summary of RxPD Force Coefficient

Mean value:	6.229553e-13
Standard deviation:	5.478679e-16
Standard error:	2.229600e-16
Relative Standard error:	3.579068e-04