





# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (0,405] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

21 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (405,406] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

3 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (406,407] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

8 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (407,408] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

3 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (408,409] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

7 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (409,410] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

8 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (410,411] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

8 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

Power Bin: (411,412] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

8 traces









# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

Power Bin: (412,413] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

8 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (413,414] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

9 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (414,415] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

11 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (415,416] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

12 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (416,417] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

12 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (417,418] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

11 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (418,419] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

13 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (419,420] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

15 traces









# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (420,421] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

15 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

Power Bin: (421,422] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

18 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (422,423] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

17 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (423,424] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

21 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (424,425] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

21 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (425,426] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

27 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (426,427] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

32 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (427,428] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

36 traces









# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (428,429] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

49 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (429,430] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

62 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (430,431] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

105 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (431,432] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

170 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

Power Bin: (432,433] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

157 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

Power Bin: (433,434] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

78 traces







# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (434,435] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

62 traces



# Sensing Function Systematic Error Power Slice Data Reorganization for GPR Input

## Power Bin: (435,436] kW

Fake data: 25 freq. points of value  $(1+0j)\pm 0.0001$ ,  
log-spaced between 60 and 4000 Hz

14 traces

